



COTTONWOOD HEIGHTS



JANUARY 2013 FIRE REPORT




January Monthly Call Volume

	UFA Fire Station				
		Staffing	Fire	Medical	Grand Total
1	Station 101, West Millcreek 790 East 3900 South	5	56	266	322
2	Station 125, Midvale 7683 South Holden St.	5	43	168	211
3	Station 104, Holladay 4626 South Holladay Blvd.	5	64	142	206
4	Station 126, Midvale 607 East 7200 South	5	41	163	204
5	Station 110, Cottonwood Heights 1790 South Ft. Union Blvd.	5	56	135	191
6	Station 118, Taylorsville 5317 South 2700 West	5	42	147	189
7	Station 105, Draper 780 East 12300 South	3	53	125	178
8	Station 109, Kearns 4444 West 5400 South	5	28	147	175
9	Station 117, Taylorsville 4545 South Redwood Road	5	24	147	171
10	Station 114, Draper 14324 South 550 East	3	27	124	151
11	Station 107, Kearns 6305 South 5600 West	5	30	109	139
12	Station 106, East Millcreek 1911 East 3300 South	5	29	110	139
13	Station 112, Olympus 3612 East Jupiter Drive	5	32	83	115
14	Station 111, Magna 8215 West 3500 South	5	19	94	113
15	Station 102, Magna 8609 West 2700 South	4	15	98	113
16	Station 120, Riverton 13000 South 2700 West	5	24	73	97
17	Station 121, Riverton 4146 West 12600 South	5	40	43	83
18	Station 116, Cottonwood Heights 8303 South Wasatch Blvd.	4	17	66	83
19	Station 123, Herriman 4850 West Mt. Ogden Peak Dr.	3	17	47	64
20	Station 103, Herriman 5916 West 13100 South	3	12	51	63
21	Station 122, Draper 14903 South Deer Ridge Road	3*	15	32	47
22	Station 113, Little Cottonwood 9523 East Bypass Road	3	3	33	36
23	Station 108, Big Cottonwood 7688 South State Road 190	3	4	20	24
24	Station 115, Copperton 8495 West State Road 48	3*	5	11	16
25	Station 119, Emigration 5025 East State Road 65	3	5	4	9
	Grand Total		701	2438	3139




Fire and Medical Calls



	Fire	Medical
January 2009	65	161
January 2010	63	195
January 2011	66	219
January 2012	84	211
January 2013	73	201




Fire Calls






Medical Calls





Station 110

Calls By Month





Station 116


Calls By Month

12 Month Average

Total Calls: 87.58


Med Calls: 66.75

Fire Calls: 20.83







January Medical Calls






Medical Call Comparison





Ambulance Transports





Station 110

Ambulance Transports


Calls By Month

12 Month Average

Total Tx: 54.83

ALS Tx: 51.00

BLS Tx: 3.83





Station 116

Ambulance Transports


Calls By Month

12 Month Average

Total Tx: 30.50

ALS Tx: 28.41

BLS Tx: 1.33



◆ Total Tx

■ ALS Tx

▲ BLS Tx

— Linear (Total Tx)

— Linear (ALS Tx)

— Linear (BLS Tx)



Customer Service Station 110 and 116

- Gave 7 station tours
- Participated in ALS, EMS, Fire Training, Water Rescue and Heavy Rescue Trainings
- Provided assistance with snow removal for several residents
- Provided CPR training to local Scout Troop
- Inspected 6 businesses for fire code and safety violations





Safety Message

INFLUENZA UPDATE

It should be no surprise to anyone that this year's flu season is well underway with high numbers of people across the country affected with Influenza-like Illness (ILI). This flu season's ILI level is over two times more than previous years according to the Utah Health Department as of January 12, 2013.

Although data is currently showing a downward trend, historically February is when flu activity peaks across the country; although substantial flu activity can occur into May.

So how can you help stop flu from spreading or contracting it?

1: **Get vaccinated.** The Center of Disease Control has stated that those having the flu vaccine have reduced the need to visit a physician by 60%. During the first week of January 2013, 91% of the influenza viruses are like viruses that have been included in the 2012-2013 vaccine. The UFA has offered this free vaccine to all employees with only 37% of our employees taking advantage of it. I strongly encourage all to get it.

2: **Stay home** if you get sick with ILI, for at least 24 hours after your fever is gone. Your fever should be controlled without use of fever-reducing medicine.



Safety Message

3: **Cover your nose and mouth** when you cough and sneeze. Practice proper etiquette to prevent the spread of germs or viruses.

4: **Wash your hands.** Frequently wash your hands or use alcohol based hand sanitizer to minimize transmission possibilities.

5: **Minimize touching your face.** Anytime you touch your eyes, nose, or mouth you increase your chances of acquiring illness.

6: **Clean and disinfect** frequently touched surfaces at home, work or school, especially when someone is ill.

While it has been reported that areas of the country are running out of the vaccine, your health care provider should have the vaccine and it is NOT too late to receive it. It takes about two weeks after you receive the vaccine until antibodies develop and provide the best protection. You can still get sick if you were exposed prior to the vaccine and until the antibodies form. The flu vaccine is comprised of inactivated viruses, so you can't get sick from the vaccine. While the vaccine is not always effective it provides the greatest protection to prevent you from contracting the flu. At the very least vaccination has shown to minimize symptoms if you are lucky enough to come down with the flu.

If you have questions, you may refer to www.flu.gov for more information.



Questions??

For further questions or comments please
contact Assistant Chief Mike Watson
mwatson@ufa-slco.org

Unified Fire Authority
3380 South 900 West
Salt Lake City, UT 84119
801-824-3705
www.unifiedfire.org